

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Corridor® Matt

S737

Revision date: 19.01.2024

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Corridor® Matt

UFI: JJU0-K038-C006-775A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

EuPCS: PC-CLN-13.2 Floor care products e.g. waxes, emulsions

Process categories [PROC]: 10

Restricted to professional users.

1.3. Details of the supplier of the safety data sheet

Company name: BUZIL-WERK Wagner GmbH & Co. KG

Street: Fraunhofer Str. 17

Place: D-87700 Memmingen

Telephone: +49 (0) 8331 930-6

Telefax: +49 (0) 8331 930-880

e-mail: info@buzil.de

Contact person: info@buzil.de

Internet: www.buzil.com

1.4. Emergency telephone number: +49 (0) 8331 930-6 (08:00 - 16:00 h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

2-Methylisothiazol-3(2H)-one, Methylchloroisothiazolinone, Triisobutyl phosphate

Signal word: Warning

Pictograms:



Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Corridor® Matt

S737

Revision date: 19.01.2024

Page 2 of 12

Hazardous components

| CAS No | Chemical name | | | Quantity |
|------------|--|--------------|------------------|-----------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 107-21-1 | Ethanediol, Ethylene glycol | | | 1 - < 5 % |
| | 203-473-3 | 603-027-00-1 | 01-2119456816-28 | |
| | Acute Tox. 4, STOT RE 2; H302 H373 | | | |
| 68439-51-0 | Alkyl polyalkoxylate | | | 1 - < 5 % |
| | Aquatic Chronic 3; H412 | | | |
| 64-17-5 | Ethanol | | | 1 - < 5 % |
| | 200-578-6 | 603-002-00-5 | 01-2119457610-43 | |
| | Flam. Liq. 2, Eye Irrit. 2; H225 H319 | | | |
| 126-71-6 | Triisobutyl phosphate | | | < 1 % |
| | 204-798-3 | | 01-2119957118-32 | |
| | Skin Sens. 1B; H317 | | | |
| 2682-20-4 | 2-Methylisothiazol-3(2H)-one | | | < 0.1 % |
| | 220-239-6 | 613-326-00-9 | | |
| | Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H301 H314 H318 H317 H400 H410 EUH071 | | | |
| 55965-84-9 | reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | | | < 0.1 % |
| | 611-341-5 | 613-167-00-5 | | |
| | Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|------------|-----------|--|-----------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 107-21-1 | 203-473-3 | Ethanediol, Ethylene glycol | 1 - < 5 % |
| | | dermal: LD50 = > 3500 mg/kg; oral: LD50 = 7712 mg/kg | |
| 68439-51-0 | | Alkyl polyalkoxylate | 1 - < 5 % |
| | | oral: LD50 = > 2000 - 5000 mg/kg | |
| 64-17-5 | 200-578-6 | Ethanol | 1 - < 5 % |
| | | inhalation: LC50 = 116,9 mg/l (vapours); oral: LD50 = 10470 mg/kg Eye Irrit. 2; H319: >= 50 - 100 | |
| 126-71-6 | 204-798-3 | Triisobutyl phosphate | < 1 % |
| | | dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg | |
| 2682-20-4 | 220-239-6 | 2-Methylisothiazol-3(2H)-one | < 0.1 % |
| | | inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 = 300 mg/kg; oral: LD50 = 100 mg/kg Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1 | |
| 55965-84-9 | 611-341-5 | reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | < 0.1 % |
| | | inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: ATE = 50 mg/kg; oral: ATE = 100 mg/kg Skin Corr. 1C; H314: >= 0,6 - 100 Skin Irrit. 2; H315: >= 0,06 - < 0,6 Eye Dam. 1; H318: >= 0,6 - 100 Eye Irrit. 2; H319: >= 0,06 - < 0,6 Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=100 Aquatic Chronic 1; H410: M=100 | |

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Corridor® Matt

S737

Revision date: 19.01.2024

Page 3 of 12

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet

alcohol resistant foam

Carbon dioxide

Extinguishing powder

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon dioxide

Carbon monoxide

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Corridor® Matt

S737

Revision date: 19.01.2024

Page 4 of 12

6.2. Environmental precautions

- Do not allow to enter into surface water or drains.
- Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

Other information

- Collect in closed and suitable containers for disposal.
- Ventilate affected area.

6.4. Reference to other sections

- Personal protection equipment: see section 8
- Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

- Avoid contact with skin, eyes and clothes.
- Do not mix with other chemicals.
- Use personal protection equipment.
- When using do not eat, drink or smoke.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

- Take off contaminated clothing.
- Wash hands before breaks and after work.
- When using do not eat, drink or smoke.

Further information on handling

No further relevant information available.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

No further relevant information available.

7.3. Specific end use(s)

Floor care products e.g. waxes, emulsions

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

| CAS No | Name of agent | ppm | mg/m ³ | fib/cm ³ | Category | Origin |
|----------|-----------------|-----|-------------------|---------------------|---------------|--------|
| 107-21-1 | Ethylene glycol | 20 | 52 | | TWA (8 h) | |
| | | 40 | 104 | | STEL (15 min) | |

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Corridor® Matt

S737

Revision date: 19.01.2024

Page 5 of 12

Additional advice on limit values

No information available.

8.2. Exposure controls



Appropriate engineering controls

No information available.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. (EN 166)

Hand protection

Wear suitable gloves. (EN 374, Category III)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NBR (Nitrile rubber) / Thickness of the glove material > 0,1 mm

Skin protection

Wear suitable work clothing.

Respiratory protection

Usually no personal respiratory protection necessary.

Thermal hazards

No further relevant information available.

Environmental exposure controls

Section 6: Accidental Release Measures

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|----------------------|
| Physical state: | Liquid |
| Colour: | white |
| Odour: | Perfumes, fragrances |

| | |
|---|----------------|
| Melting point/freezing point: | approx. 0 °C |
| Boiling point or initial boiling point and boiling range: | approx. 100 °C |
| Flammability: | not applicable |
| Lower explosion limits: | not determined |
| Upper explosion limits: | not determined |
| Flash point: | not applicable |
| Auto-ignition temperature: | not determined |
| Decomposition temperature: | not applicable |
| pH-Value (at 20 °C): | 7,0 - 7,6 |
| Viscosity / kinematic: (at 40 °C) | not determined |
| Water solubility: (at 20 °C) | miscible |
| Solubility in other solvents not determined | |
| Partition coefficient n-octanol/water: | not applicable |

Test method

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Corridor® Matt

S737

Revision date: 19.01.2024

Page 6 of 12

| | |
|---------------------------|------------------------|
| Vapour pressure: | not determined |
| Density (at 20 °C): | 1,03 g/cm ³ |
| Relative density: | not determined |
| Relative vapour density: | not determined |
| Particle characteristics: | not relevant |

9.2. Other information

Other safety characteristics

Viscosity / dynamic:
(at 25 °C) < 10 mPa·s (50 1/s)

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Corridor® Matt

S737

Revision date: 19.01.2024

Page 7 of 12

| CAS No | Chemical name | | | | |
|------------|---|--------------------------|---------|--------|----------|
| | Exposure route | Dose | Species | Source | Method |
| 107-21-1 | Ethanediol, Ethylene glycol | | | | |
| | oral | LD50 7712 mg/kg | Rat | | |
| | dermal | LD50 > 3500 mg/kg | Mouse | | |
| 68439-51-0 | Alkyl polyalkoxylate | | | | |
| | oral | LD50 > 2000 - 5000 mg/kg | Rat | | |
| 64-17-5 | Ethanol | | | | |
| | oral | LD50 10470 mg/kg | Rat | | OECD 401 |
| | inhalation (4 h) vapour | LC50 116,9 mg/l | Rat | | OECD 403 |
| 126-71-6 | Triisobutyl phosphate | | | | |
| | oral | LD50 > 5000 mg/kg | Rat | | |
| | dermal | LD50 > 5000 mg/kg | Rabbit | | |
| 2682-20-4 | 2-Methylisothiazol-3(2H)-one | | | | |
| | oral | LD50 100 mg/kg | Rat | ATE | |
| | dermal | LD50 300 mg/kg | Rat | ATE | |
| | inhalation vapour | ATE 0,5 mg/l | | | |
| | inhalation dust/mist | ATE 0,05 mg/l | | | |
| 55965-84-9 | reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | | | | |
| | oral | ATE 100 mg/kg | | | |
| | dermal | ATE 50 mg/kg | | | |
| | inhalation vapour | ATE 0,5 mg/l | | | |
| | inhalation dust/mist | ATE 0,05 mg/l | | | |

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (Triisobutyl phosphate; 2-Methylisothiazol-3(2H)-one; reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1))

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Corridor® Matt

S737

Revision date: 19.01.2024

Page 8 of 12

Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | |
|------------|------------------------------|------------------|-----------|---------|---|--------------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 107-21-1 | Ethanediol, Ethylene glycol | | | | | |
| | Acute fish toxicity | LC50 mg/l | 72860 | 96 h | Pimephales promelas (fathead minnow) | |
| | Acute crustacea toxicity | EC50 mg/l | > 100 | 48 h | Daphnia magna (Big water flea) | OECD 202 |
| 68439-51-0 | Alkyl polyalkoxylate | | | | | |
| | Acute fish toxicity | LC50 mg/l | > 1 - 10 | 96 h | Poecilia reticulata (Guppy) | OECD 203 |
| | Acute algae toxicity | ErC50 mg/l | > 1 - 10 | 72 h | Desmodesmus subspicatus | OECD 201 |
| | Acute crustacea toxicity | EC50 mg/l | > 1 - 10 | 48 h | Daphnia magna (Big water flea) | OECD 202 |
| 64-17-5 | Ethanol | | | | | |
| | Acute fish toxicity | LC50 mg/l | 11200 | 96 h | Oncorhynchus mykiss (Rainbow trout) | ASTN E729-80 |
| | Acute algae toxicity | ErC50 | 275 mg/l | 72 h | Chlorella vulgaris | |
| | Acute crustacea toxicity | EC50 mg/l | 5012 | 48 h | Ceriodaphnia spec | |
| 126-71-6 | Triisobutyl phosphate | | | | | |
| | Acute fish toxicity | LC50 100 mg/l | > 10 - | 96 h | Leuciscus idus (golden orfe) | |
| 2682-20-4 | 2-Methylisothiazol-3(2H)-one | | | | | |
| | Fish toxicity | NOEC mg/l | 2,38 | 28 d | Pimephales promelas (fathead minnow) | |
| | Algae toxicity | NOEC mg/l | 0,03 | 3 d | Pseudokirchneriella subcapitata | |
| | Crustacea toxicity | NOEC mg/l | 0,55 | 21 d | Daphnia magna (Big water flea) | |

12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Corridor® Matt

S737

Revision date: 19.01.2024

Page 9 of 12

| CAS No | Chemical name | | | |
|------------|--|--------|----|--------|
| | Method | Value | d | Source |
| | Evaluation | | | |
| 107-21-1 | Ethanediol, Ethylene glycol | | | |
| | OECD 301 A | > 70 % | 28 | |
| | Readily biodegradable (according to OECD criteria). | | | |
| 68439-51-0 | Alkyl polyalkoxylate | | | |
| | OECD 301 B | > 60 % | 28 | |
| | Readily biodegradable (according to OECD criteria). | | | |
| 64-17-5 | Ethanol | | | |
| | OECD 301 B | > 60 % | 28 | |
| | Readily biodegradable (according to OECD criteria). | | | |
| 126-71-6 | Triisobutyl phosphate | | | |
| | OECD 301B | > 60 % | 28 | |
| | Readily biodegradable (according to OECD criteria). | | | |
| 2682-20-4 | 2-Methylisothiazol-3(2H)-one | | | |
| | OECD 301 | <60 % | 28 | |
| | Not readily biodegradable (according to OECD criteria) | | | |

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|----------|-----------------------------|---------|
| 107-21-1 | Ethanediol, Ethylene glycol | -1,36 |
| 64-17-5 | Ethanol | -0,31 |
| 126-71-6 | Triisobutyl phosphate | 3,72 |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

Delivery to an approved waste disposal company.

List of Wastes Code - residues/unused products

070299 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of plastics, synthetic rubber and man-made fibres; wastes not otherwise specified

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Corridor® Matt

S737

Revision date: 19.01.2024

Page 10 of 12

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

| | |
|--|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

Inland waterways transport (ADN)

| | |
|--|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

Marine transport (IMDG)

| | |
|--|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

Air transport (ICAO-TI/IATA-DGR)

| | |
|--|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No special measures are necessary.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2010/75/EU (VOC): 1,6 %

Additional information

Regulation (EC) No. 648/2004 [Detergents regulation]

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 8,14.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Corridor® Matt

S737

Revision date: 19.01.2024

Page 11 of 12

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

Relevant H and EUH statements (number and full text)

| | |
|--------|--|
| H225 | Highly flammable liquid and vapour. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H310 | Fatal in contact with skin. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH071 | Corrosive to the respiratory tract. |

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Corridor® Matt

S737

Revision date: 19.01.2024

Page 12 of 12

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)