
according to Regulation (EC) No 1907/2006



EuPCS: PC-CLN-2 All-purpose (or multi-purpose) non-abrasive cleaners Process categories [PROC]: 8, 10 Restricted to professional users.

1.3. Details of the supplier of the safety data sheet

Company name:	BUZIL-WERK Wagner GmbH & Co. KG	
Street:	Fraunhofer Str. 17	
Place:	D-87700 Memmingen	
Telephone:	+49 (0) 8331 930-6	Telefax: +49 (0) 8331 930-880
e-mail:	info@buzil.de	
Contact person:	info@buzil.de	
Internet:	www.buzil.com	
1.4. Emergency telephone	+49 (0) 8331 930-6 (08:00 - 16:00 h)	

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Revision date: 19.01.2024

1.1. Product identifier

UFI:

Indumaster® Fast

Met. Corr. 1; H290 Skin Corr. 1; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Sodium hydroxide Signal word:

Pictograms:



Danger

Hazard statements

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
Precautionary statemen	its
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

525



according to Regulation (EC) No 1907/2006

Indumaster® Fast

Revision date: 19.01.2024

IR14

Page 2 of 10

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
1310-73-2	Sodium hydroxide			1 - < 5 %
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A, Eye Da	m. 1; H290 H314 H318		
68515-73-1	D-Glucopyranose, oligomers, decyl	octyl glycosides		1 - < 5 %
	500-220-1		01-2119488530-36	
	Eye Dam. 1; H318			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No Chemical name		Quantity
	Specific Conc. Limits, M-factors and ATE		
1310-73-2	215-185-5	Sodium hydroxide	1 - < 5 %
		= > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	
68515-73-1	500-220-1	D-Glucopyranose, oligomers, decyl octyl glycosides	1 - < 5 %
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants, < 5 % soap, < 5 % anionic surfactants, perfumes (Linalool), preservation agents (Benzisothiazolinone, Methylisothiazolinone, Iodopropynyl butylcarbamate).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting.

<u>4.2. Most important symptoms and effects, both acute and delayed</u> No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

according to Regulation (EC) No 1907/2006

Indumaster® Fast

Revision date: 19.01.2024

IR14

Page 3 of 10

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet alcohol resistant foam Carbon dioxide Extinguishing powder

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon dioxide Carbon monoxide

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

Other information

Collect in closed and suitable containers for disposal. Ventilate affected area.

6.4. Reference to other sections

Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothes. Do not mix with other chemicals. Use personal protection equipment.



according to Regulation (EC) No 1907/2006

Indumaster® Fast

Revision date: 19.01.2024 Page 4 of 10 When using do not eat, drink or smoke. Advice on protection against fire and explosion No special fire protection measures are necessary. Advice on general occupational hygiene Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink or smoke. Further information on handling Absorb spillage to prevent material damage. 7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels Keep container tightly closed. Keep/Store only in original container. Hints on joint storage No special measures are necessary.

Further information on storage conditions

No further relevant information available.

7.3. Specific end use(s)

Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

No information available.

8.2. Exposure controls





Appropriate engineering controls

No information available.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. (EN 166)

Hand protection

Wear suitable gloves. (EN 374, Category III)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NBR (Nitrile rubber) / Thickness of the glove material > 0,1 mm

Diluted ready-to-use solutions <=1%:

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

Skin protection

Wear suitable work clothing.

Respiratory protection

Usually no personal respirative protection necessary.



according to Regulation (EC) No 1907/2006

	according to Regulation (EC) No 1907/2006	
Revision date: 19.01.2024	Indumaster® Fast IR14	Page 5 of 10
1.01.2024		
Thermal hazards		
No further relevant information availa	ble.	
Environmental exposure controls		
Section 6: Accidental Release Measu	ires	
SECTION 9: Physical and chemical pro	operties	
9.1. Information on basic physical and che	emical properties	
Physical state:	Liquid	
Colour:	colourless - yellow	
Odour:	Perfumes, fragrances	
		Test method
Melting point/freezing point:	approx. 0 °C	
Boiling point or initial boiling point and	approx. 100 °C	
boiling range:		
Flammability:	not applicable	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Flash point:	not applicable	
Auto-ignition temperature:	not determined	
Decomposition temperature:	not applicable	
pH-Value (at 20 °C):	approx. 13,5	
Viscosity / kinematic: (at 40 °C)	not determined	
Water solubility: (at 20 °C)	completely miscible	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not applicable	
Vapour pressure:	not determined	
Density (at 20 °C):	1,04 g/cm ³	
Relative density:	not determined	
Relative vapour density:	not determined	
Particle characteristics:	not relevant	
9.2. Other information		
Other safety characteristics	·	
Viscosity / dynamic:	< 10 mPa·s	(50 1/s)
(at 25 °C)		
No information available.		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Corrosive to metals.		
Exothermic reaction with: Acid		
10.2. Chemical stability		
The product is stable under storage a	at normal ambient temperatures.	

10.3. Possibility of hazardous reactions Corrosive to metals.

Exothermic reaction with: Acid



according to Regulation (EC) No 1907/2006

	Indumaster® Fast	
Revision date: 19.01.2024	IR14	Page 6 of 10

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

Corrosive to metals. Acid

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
1310-73-2	Sodium hydroxide					
	oral	LD50 > 20 mg/kg	000	Rat	ATE	
	dermal	LD50 > 20 mg/kg	000	Rat	ATE	
68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides					
	oral	LD50 > 50 mg/kg	000	Rat		OECD 401
	dermal	LD50 > 20 mg/kg	000	Rabbit		OECD 402

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Indumaster® Fast

Revision date: 19.01.2024

IR14

Page 7 of 10

315

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
1310-73-2	Sodium hydroxide						
	Acute fish toxicity	LC50	125 mg/l	96 h	Gambusia affinis (Mosquito fish)		
	Acute crustacea toxicity	EC50 mg/l	40,4	48 h	Ceriodaphnia spec		
68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides						
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Danio rerio (zebrafish)		DIN EN ISO 7346-2
	Acute algae toxicity	ErC50 100 mg/l	> 10 -		Scenedesmus subspicatus		
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna (Big water flea)		OECD 202
	Fish toxicity	NOEC mg/l	> 1 - 10		Danio rerio (zebrafish)		OECD 204
	Crustacea toxicity	NOEC mg/l	> 1 - 10		Daphnia magna (Big water flea)		OECD 202

12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides	<1,77

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

List of Wastes Code - contaminated packaging


150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

according to Regulation (EC) No 1907/2006

Indumaster® Fast Revision date: 19.01.2024 IR14 Page 8 o Contaminated packaging Non-contaminated packagies may be recycled. SECTION 14: Transport information Land transport (ADR/RID) 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: II Hazard label: 8 Classification code: C5 Limited quantity: 5 L Transport category: 3 Hazard No: 80 Tunnel restriction code: E Inland waterways transport (ADN) 14.1. UN number or ID number: 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard No: 8 14.4. Packing group: III Hazard labe: 8 14.4. Packing group: III
Tortown cuter routing Contaminated packages may be recycled. SECTION 14: Transport information Land transport (ADR/RID) 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. DARKING proper III Hazard label: 8 Classification code: C5 Limited quantity: 5 L Transport category: 3 Hazard No: Transport category: 43.1. Transport (ADN) 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport (ADN) III 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 III Hazard label: B Classification code: C1 IIII Hazard label:
Non-contaminated packages may be recycled. SECTION 14: Transport information Land transport (ADR/RID) 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport nazard class(es): 8 Classification code: C5 Inited quantity: 5 L Transport category: 3 Hazard No: 80 Tunnel restriction code: E Inited waterways transport (ADN) 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport nazard class(es): 8 Classification code: E Inited quantity: 5 L Classification code: E Inited quantity: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport nazard class(es): 8 Classification code: E Inited quantity: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport nazard class(es): 8 Classification code: C5 Limited quantity: 5 L Marine transport (MDG) 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8
Land transport (ADR/RID) 14.1. UN number or ID number; UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es); 8 14.4. Packing group; III Hazard label: 8 Classification code: C5 Limited quantity: 5 L Transport category: 3 Hazard No: 80 Tunnel restriction code: E Inland waterways transport (ADN) 14.1. UN number or ID number; UN 1824 14.2. UN proper shipping name; SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es); 8 14.4. Packing group; III Hazard label: C5 Limited quantity: 5 L Marine transport (MDG) 14.1. UN number or ID number; UN 1824 14.2. UN proper shipping name; SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es); 8 14.4. Packing group; III Hazard label: 8 Marine transport (IMDG) 14.1. UN number or ID number; UN 1824 14.2. UN proper shipping name; SODIUM HYDROXIDE, SOLUTION 14.3. Transport ID I III Hazard Lasses: 8
14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Classification code: C5 Limited quantity: 5 L Transport category: 3 Hazard No: 80 Tunnel restriction code: E Inland waterways transport (ADN) 14.1. UN number or ID number: 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Classification code: C5 Limited quantity: 5 L Marine transport (IMDG) 11 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.1. UN number or ID number: UN 1824 14.2. UN proper shipp
14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Classification code: C5 Limited quantity: 5 L Transport category: 3 Hazard No: 80 Tunnel restriction code: E Inland waterways transport (ADN) 14.1. UN number or ID number: 14.1. UN number or ID number: UN 1824 14.2. Packing group: III Hazard label: 8 Classification code: C5 Limited quantity: 5 L Tunnel restriction code: E Inland waterways transport (ADN) 14.1. UN number or ID number: 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 Classification code: C5 Limited quantity: 5 L Marine transport (IMDG) 14.1. UN number or ID number: 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SOD
14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Classification code: C5 Limited quantity: 5 L Transport category: 3 Hazard No: 80 Tunnel restriction code: E Inland waterways transport (ADN) 14.1. UN number or ID number: 14.1. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Classification code: C5 Limited quantity: 5 L Marine transport (MDG) 14.1. UN number or ID number: 14.1. UN number or ID number: UN 1824 Limited quantity: 5 L Marine transport (MDG) 14.1. UN number or ID number: 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION
14.4. Packing group: III Hazard label: 8 Classification code: C5 Limited quantity: 5 L Transport category: 3 Hazard No: 80 Tunnel restriction code: 8 Inland waterways transport (ADN) 14.1. UN number or ID number: 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.4. Packing group: III Hazard label: 8 Classification code: C5 Limited quantity: 5 L Marine transport (MDG) 5 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION
Hazard label: 8 Classification code: C5 Limited quantity: 5 L Transport category: 3 Hazard No: 80 Tunnel restriction code: E Inland waterways transport (ADN) 14.1. UN number or ID number: 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Classification code: C5 Limited quantity: 5 L Marine transport (MDG) 14.1. UN number or ID number: 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8
Classification code: C5 Limited quantity: 5 L Transport category: 3 Hazard No: 80 Tunnel restriction code: E Inland waterways transport (ADN) 14.1. UN number or ID number: 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name; SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Classification code: C5 Limited quantity: 5 L Marine transport (IMDG) UN 1824 14.2. UN proper shipping name; SODIUM HYDROXIDE SOLUTION 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name; SOLITION 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name; SODIUM HYDROXIDE, SOLUTION 14.2. UN proper shipping name; SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es); 8
Limited quantity:5 LTransport category:3Hazard No:80Tunnel restriction code:EInland waterways transport (ADN)UN 182414.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE SOLUTION14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LMarine transport (IMDG)UN 182414.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE, SOLUTION14.3. Transport hazard class(es):8
Limited quantity:5 LTransport category:3Hazard No:80Tunnel restriction code:EInland waterways transport (ADN)UN 182414.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE SOLUTION14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LMarine transport (IMDG)UN 182414.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE, SOLUTION14.3. Transport hazard class(es):8
Limited quantity:5 LTransport category:3Hazard No:80Tunnel restriction code:EInland waterways transport (ADN)UN 182414.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE SOLUTION14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LMarine transport (IMDG)UN 182414.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE, SOLUTION14.3. Transport hazard class(es):8
Limited quantity:5 LTransport category:3Hazard No:80Tunnel restriction code:EInland waterways transport (ADN)UN 182414.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE SOLUTION14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LMarine transport (IMDG)UN 182414.1. UN number or ID number:UN 182414.1. UN number or ID number:UN 182414.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE, SOLUTION14.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE, SOLUTION14.3. Transport hazard class(es):8
Transport category: 3 Hazard No: 80 Tunnel restriction code: E Inland waterways transport (ADN)
Hazard No:80Tunnel restriction code:EInland waterways transport (ADN)UN 182414.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE SOLUTION14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LMarine transport (IMDG)UN 182414.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE, SOLUTION
Tunnel restriction code:EInland waterways transport (ADN)UN 182414.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE SOLUTION14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LMarine transport (IMDG)UN 182414.1. UN number or ID number:UN 182414.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE, SOLUTION14.3. Transport hazard class(es):8
Inland waterways transport (ADN)UN 182414.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE SOLUTION14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LMarine transport (IMDG)UN 182414.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE, SOLUTION14.3. Transport hazard class(es):8
14.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE SOLUTION14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LMarine transport (IMDG)UN 182414.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE, SOLUTION14.3. Transport hazard class(es):8
14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Classification code: C5 Limited quantity: 5 L Marine transport (IMDG) UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8
14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Classification code: C5 Limited quantity: 5 L Marine transport (IMDG) UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8
14.4. Packing group: III Hazard label: 8 Classification code: C5 Limited quantity: 5 L Marine transport (IMDG) 14.1. UN number or ID number: 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8
Hazard label: 8 Hazard label: 8 Limited label: 8 Classification code: C5 Limited quantity: 5 L Marine transport (IMDG) 5 L 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8
Classification code: C5 Limited quantity: 5 L Marine transport (IMDG) 5 L 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8
Limited quantity: 5 L Marine transport (IMDG) UN 1824 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8
Limited quantity: 5 L Marine transport (IMDG) UN 1824 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8
Limited quantity: 5 L Marine transport (IMDG) UN 1824 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8
Limited quantity: 5 L Marine transport (IMDG) UN 1824 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8
Marine transport (IMDG) 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8
14.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE, SOLUTION14.3. Transport hazard class(es):8
14.2. UN proper shipping name:SODIUM HYDROXIDE, SOLUTION14.3. Transport hazard class(es):8
14.3. Transport hazard class(es): 8
14.4. Packing group:
Hazard label: 8
Marine pollutant: no
Special Provisions: 223
Limited quantity: 5 L
EmS: F-A, S-B Segregation group: 18 - alkalis
Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: UN 1824
14.2. UN proper shipping name:SODIUM HYDROXIDE, SOLUTION14.3. Transport hazard class(es):8
<u>14.3. Transport hazard class(es):</u> o <u>14.4. Packing group:</u> III
Hazard label: 8



according to Regulation (EC) No 1907/2006



Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12: PROC 1: Use in closed processes. PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC 4: Chemical production where opportunity for exposure arises PROC 7: Industrial spraying





according to Regulation (EC) No 1907/2006

Indumaster® Fast

Revision date: 19.01.2024

IR14

Page 10 of 10

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing) PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)