

Safety Data Sheet



according to Regulation (EC) No 1907/2006

INDUMASTER® OFFENSIVE

Revision date: 04.08.2017

IR47

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

INDUMASTER® OFFENSIVE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Washing and cleaning products (including solvent based products)
Stripper, corrosive, containing solvents with skin absorptive substances
Process categories [PROC]: 8, 10, 11

1.3. Details of the supplier of the safety data sheet

Company name:	BUZIL-WERK Wagner GmbH & Co. KG	
Street:	Fraunhofer Str. 17	
Place:	D-87700 Memmingen	
Telephone:	+49 (0) 8331 930-6	Telefax: +49 (0) 8331 930-880
e-mail:	info@buzil.de	
Internet:	www.buzil.com	

1.4. Emergency telephone number: +49 (0) 8331 / 930-730

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:
Substance or mixture corrosive to metals: Met. Corr. 1
Skin corrosion/irritation: Skin Corr. 1B
Hazard Statements:
May be corrosive to metals.
Causes severe skin burns and eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

2-aminoethanol, ethanolamine

Signal word: Danger

Pictograms:



Hazard statements

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

INDUMASTER® OFFENSIVE

Revision date: 04.08.2017

IR47

Page 2 of 13

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.
The product is skin resorptive.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether			10 - < 15 %
	203-905-0	603-014-00-0	01-2119475108-36	
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H302 H312 H332 H315 H319			
122-99-6	2-phenoxyethanol			1 - < 5 %
	204-589-7	603-098-00-9	01-2119488943-21	
	Acute Tox. 4, Eye Irrit. 2; H302 H319			
141-43-5	2-aminoethanol, ethanolamine			1 - < 5 %
	205-483-3	603-030-00-8	01-2119486455-28	
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, STOT SE 3; H302 H312 H332 H314 H335			
15763-76-5	sodium cumene sulfonate			1 - < 5 %
	239-854-6		01-2119489411-37	
	Eye Irrit. 2; H319			
1310-58-3	caustic potash, potassium hydroxide			1 - < 5 %
	215-181-3	019-002-00-8	01-2119487136-33	
	Met. Corr. 1, Acute Tox. 4, Skin Corr. 1A; H290 H302 H314			
7320-34-5	tetrapotassium pyrophosphate			1 - < 5 %
	230-785-7		01-2119489369-18	
	Eye Irrit. 2; H319			
1336-21-6	Ammonia			< 1 %
	215-647-6	007-001-01-2	01-2119982985-14	
	Skin Corr. 1B, STOT SE 3, Aquatic Acute 1 (M-Factor = 1); H314 H335 H400			

Full text of H and EUH statements: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % phosphates, < 5 % non-ionic surfactants, perfumes (Hexyl cinnamal, Limonene, Geraniol).

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.
Take off contaminated clothing and wash it before reuse.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

INDUMASTER® OFFENSIVE

Revision date: 04.08.2017

IR47

Page 3 of 13

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet
alcohol resistant foam
Carbon dioxide
Extinguishing powder

Unsuitable extinguishing media

High power water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon dioxide
Carbon monoxide

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment.
Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.
Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Safety Data Sheet



according to Regulation (EC) No 1907/2006

INDUMASTER® OFFENSIVE

Revision date: 04.08.2017

IR47

Page 4 of 13

Advice on safe handling

- Avoid contact with skin, eyes and clothes.
- Do not mix with other chemicals.
- Wear personal protection equipment (refer to section 8).
- When using do not eat, drink or smoke.
- Use only in well-ventilated areas.
- Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

- No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

- Keep container tightly closed.

Advice on storage compatibility

- No special measures are necessary.

7.3. Specific end use(s)

- There are no data available on the mixture itself.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	WEL
		3	7.6		STEL (15 min)	WEL
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246		STEL (15 min)	WEL
7664-41-7	Ammonia, anhydrous	25	18		TWA (8 h)	WEL
		35	25		STEL (15 min)	WEL
1310-58-3	Potassium hydroxide	-	-		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	butoxyacetic acid	240 mmol/mol	urine	Post shift

Safety Data Sheet



according to Regulation (EC) No 1907/2006

INDUMASTER® OFFENSIVE

Revision date: 04.08.2017

IR47

Page 5 of 13

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
15763-76-5	sodium cumene sulfonate			
Worker DNEL, long-term		dermal	systemic	7,6 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	53,6 mg/m ³
Consumer DNEL, long-term		dermal	systemic	3,8 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	13,2 mg/m ³
Consumer DNEL, long-term		oral	systemic	3,8 mg/kg bw/day

PNEC values

CAS No	Substance	Value
15763-76-5	sodium cumene sulfonate	
Micro-organisms in sewage treatment plants (STP)		100 mg/l

8.2. Exposure controls

Protective and hygiene measures

- Take off contaminated clothing.
- Wash hands before breaks and after work.
- When using do not eat, drink or smoke.

Eye/face protection

Wear eye protection/face protection. (EN 166)

Hand protection

- When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.
- Suitable material: NBR (Nitrile rubber).
- Breakthrough time (maximum wearing time) >480 min.
- A survey of suitable brands with detailed information on breakthrough times is available upon request.

Skin protection

Wear suitable work clothing.

Respiratory protection

- If extensively sprayed or used with high pressure equipment: combination filter A1/P2 (EN 143, EN 14387).
- Use only in well-ventilated areas.
- In case of inadequate ventilation wear respiratory protection. (EN 14387, A1)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour:
Odour: Perfumes, fragrances

Test method

pH-Value (at 20 °C): 13,4 - 14,0

Changes in the physical state

Melting point: approx. 0 °C
Initial boiling point and boiling range: approx. 100 °C

Safety Data Sheet



according to Regulation (EC) No 1907/2006

INDUMASTER® OFFENSIVE

Revision date: 04.08.2017

IR47

Page 6 of 13

Flash point: not applicable

Flammability

Solid: not applicable

Gas: not applicable

Lower explosion limits: not determined

Upper explosion limits: not determined

Auto-ignition temperature

Solid: not applicable

Gas: not applicable

Decomposition temperature: not determined

Oxidizing properties

Not oxidising.

Vapour pressure: not determined

Density (at 25 °C): 1,06 g/cm³

Water solubility: completely miscible

Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / dynamic:
(at 25 °C) <10 mPa·s

Vapour density: not determined

Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Exothermic reaction with: Acid

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

Acid

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Safety Data Sheet



according to Regulation (EC) No 1907/2006

INDUMASTER® OFFENSIVE

Revision date: 04.08.2017

IR47

Page 7 of 13

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether				
	oral	LD50 mg/kg	1746	Rat	
	dermal	LD50 mg/kg	2275	Rat	
	inhalative vapour	LC50	>20 mg/l	Rat	ATE
	inhalative aerosol	ATE	1,5 mg/l		
122-99-6	2-phenoxyethanol				
	oral	LD50 mg/kg	1850	Rat	
	dermal	LD50 mg/kg	>2000	Rabbit	
141-43-5	2-aminoethanol, ethanolamine				
	oral	LD50 mg/kg	1089	Rat	OECD 401
	dermal	LD50 mg/kg	1025	Rabbit	IUCLID
	inhalative (4 h) vapour	LC50	1487 mg/l	Rat	
	inhalative aerosol	ATE	1,5 mg/l		
15763-76-5	sodium cumene sulfonate				
	oral	LD50 mg/kg	>7000	Rat	
	dermal	LD50 mg/kg	>2000	Rabbit	
	inhalative vapour	LC50	>20 mg/l	Rat	ATE
	inhalative aerosol	LC50	>5 mg/l	Rat	ATE
1310-58-3	caustic potash, potassium hydroxide				
	oral	LD50 mg/kg	273	Rat	RTECS
7320-34-5	tetrapotassium pyrophosphate				
	oral	LD50 mg/kg	>2000	Rat	
	dermal	LD50 mg/kg	>2000	Rat	ATE
	inhalative aerosol	LC50	>5 mg/l	Rat	ATE
1336-21-6	Ammonia				
	oral	LD50 mg/kg	>2000	Rat	ATE
	dermal	LD50 mg/kg	>2000	Rat	ATE
	inhalative vapour	LC50	>20 mg/l	Rat	ATE

Irritation and corrosivity

Causes severe skin burns and eye damage.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

INDUMASTER® OFFENSIVE

Revision date: 04.08.2017

IR47

Page 8 of 13

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Safety Data Sheet



according to Regulation (EC) No 1907/2006

INDUMASTER® OFFENSIVE

Revision date: 04.08.2017

IR47

Page 9 of 13

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether					
	Acute fish toxicity	LC50 1474 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50 911 mg/l	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 1550 mg/l	48 h	Daphnia magna (Big water flea)		
122-99-6	2-phenoxyethanol					
	Acute fish toxicity	LC50 220 - 460 mg/l	96 h	Leuciscus idus (golden orfe)		
	Acute algae toxicity	ErC50 > 500 mg/l	72 h	Scenedesmus subspicatus		
	Acute crustacea toxicity	EC50 > 500 mg/l	48 h	Daphnia magna (Big water flea)		
141-43-5	2-aminoethanol, ethanolamine					
	Acute fish toxicity	LC50 170 mg/l	96 h	Carassius auratus (goldfish)	APHA 1971	
	Acute algae toxicity	ErC50 22 mg/l	72 h	Scenedesmus subspicatus	EG 92/69	
	Acute crustacea toxicity	EC50 65 mg/l	48 h	Daphnia magna (Big water flea)		
	Fish toxicity	NOEC 1,2 mg/l	30 d	Oryzias latipes (Ricefish)		
	Crustacea toxicity	NOEC 0,85 mg/l	21 d	Daphnia magna (Big water flea)	OECD 211	
15763-76-5	sodium cumene sulfonate					
	Acute fish toxicity	LC50 >1000 mg/l	96 h			
	Acute crustacea toxicity	EC50 >1000 mg/l	48 h	Daphnia magna (Big water flea)		
	Algae toxicity	NOEC 31 mg/l	4 d			
1310-58-3	caustic potash, potassium hydroxide					
	Acute fish toxicity	LC50 80 mg/l	96 h	Gambusia affinis (Mosquito fish)	IUCLID	
7320-34-5	tetrapotassium pyrophosphate					
	Acute fish toxicity	LC50 >1 mg/l	96 h			
	Acute algae toxicity	ErC50 >1 mg/l				
	Acute crustacea toxicity	EC50 >1 mg/l	48 h			
1336-21-6	Ammonia					
	Acute fish toxicity	LC50 0,16 - 1,1 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute crustacea toxicity	EC50 24 mg/l	48 h	Daphnia magna (Big water flea)		

12.2. Persistence and degradability

The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

INDUMASTER® OFFENSIVE

Revision date: 04.08.2017

IR47

Page 10 of 13

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether			
	OECD 301	>60%	28	
	Readily biodegradable (according to OECD criteria).			
122-99-6	2-phenoxyethanol			
	OECD 301	>60%	28	
	Readily biodegradable (according to OECD criteria).			
141-43-5	2-aminoethanol, ethanolamine			
	OECD 302A/ ISO 9887/ EEC 92/69/V, C.12	>90%	21	
	Readily biodegradable (according to OECD criteria).			
15763-76-5	sodium cumene sulfonate			
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	>60%	28	
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether	0,81
122-99-6	2-phenoxyethanol	1,16
141-43-5	2-aminoethanol, ethanolamine	-1,91
15763-76-5	sodium cumene sulfonate	-1,1
7320-34-5	tetrapotassium pyrophosphate	-2
1336-21-6	Ammonia	-1,38

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.
Delivery to an approved waste disposal company.

Waste disposal number of waste from residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors
Classified as hazardous waste.

Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Non-contaminated packages may be recycled.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

INDUMASTER® OFFENSIVE

Revision date: 04.08.2017

IR47

Page 11 of 13

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	UN 2491
14.2. UN proper shipping name:	ETHANOLAMINE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C7
Limited quantity:	5 L
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E

Inland waterways transport (ADN)

14.1. UN number:	UN 2491
14.2. UN proper shipping name:	ETHANOLAMINE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C7
Limited quantity:	5 L

Marine transport (IMDG)

14.1. UN number:	UN 2491
14.2. UN proper shipping name:	ETHANOLAMINE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Special Provisions:	223
Limited quantity:	5 L
EmS:	F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	UN 2491
14.2. UN proper shipping name:	ETHANOLAMINE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Special Provisions:	A3 A803
Limited quantity Passenger:	1 L
IATA-packing instructions - Passenger:	852
IATA-max. quantity - Passenger:	5 L
IATA-packing instructions - Cargo:	856
IATA-max. quantity - Cargo:	60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No special measures are necessary.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

INDUMASTER® OFFENSIVE

Revision date: 04.08.2017

IR47

Page 12 of 13

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): <30%

Additional information

Regulation (EC) No. 648/2004 (Detergents regulation)

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection.

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

INDUMASTER® OFFENSIVE

Revision date: 04.08.2017

IR47

Page 13 of 13

H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)