

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Flow

G577

Revision date: 19.01.2024

Page 1 of 10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Buz® Flow

UFI: 1960-406K-200D-4NN3

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

EuPCS: PC-CLN-5 Drain cleaning products

Process categories [PROC]: 8

#### 1.3. Details of the supplier of the safety data sheet

Company name: BUZIL-WERK Wagner GmbH & Co. KG

Street: Fraunhofer Str. 17

Place: D-87700 Memmingen

Telephone: +49 (0) 8331 930-6

Telefax: +49 (0) 8331 930-880

e-mail: info@buzil.de

Contact person: info@buzil.de

Internet: www.buzil.com

**1.4. Emergency telephone number:** +49 (0) 8331 930-6 (08:00 - 16:00 h)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Skin Corr. 1; H314

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

##### Regulation (EC) No 1272/2008

##### Hazard components for labelling

Sodium hydroxide

**Signal word:** Danger

**Pictograms:**



##### Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

##### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/containers in accordance with local and national regulations.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Flow

G577

Revision date: 19.01.2024

Page 2 of 10

### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
1310-73-2	Sodium hydroxide			15 - < 20 %
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318			
308062-28-4	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides			< 1 %
	931-292-6		01-2119490061-47	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Acute 1; H302 H315 H318 H400			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
1310-73-2	215-185-5	Sodium hydroxide	15 - < 20 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2		
308062-28-4	931-292-6	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	< 1 %
	oral: LD50 = 1064 mg/kg Aquatic Acute 1; H400: M=1		

#### Labelling for contents according to Regulation (EC) No 648/2004

< 5 % amphoteric surfactants.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove contaminated, saturated clothing immediately.

#### After inhalation

Provide fresh air.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Flow

G577

Revision date: 19.01.2024

Page 3 of 10

### 5.1. Extinguishing media

#### **Suitable extinguishing media**

Water spray jet  
alcohol resistant foam  
Carbon dioxide  
Extinguishing powder

#### **Unsuitable extinguishing media**

Full water jet

### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon dioxide  
Carbon monoxide

### 5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.

#### **For non-emergency personnel**

Ventilate affected area.

#### **For emergency responders**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.  
Do not allow to enter into soil/subsoil.

### 6.3. Methods and material for containment and cleaning up

#### **For containment**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### **For cleaning up**

Treat the recovered material as prescribed in the section on waste disposal.

#### **Other information**

Collect in closed and suitable containers for disposal.  
Ventilate affected area.

### 6.4. Reference to other sections

Personal protection equipment: see section 8  
Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### **Advice on safe handling**

Avoid contact with skin, eyes and clothes.  
Do not mix with other chemicals.  
Use personal protection equipment.  
When using do not eat, drink or smoke.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Flow

G577

Revision date: 19.01.2024

Page 4 of 10

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### Advice on general occupational hygiene

Take off contaminated clothing.

Wash hands before breaks and after work.

When using do not eat, drink or smoke.

### Further information on handling

Absorb spillage to prevent material damage.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

Keep/Store only in original container.

### Hints on joint storage

No special measures are necessary.

### Further information on storage conditions

No further relevant information available.

## 7.3. Specific end use(s)

Cleaning agent

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Additional advice on limit values

No information available.

### 8.2. Exposure controls



#### Appropriate engineering controls

No information available.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear eye/face protection. (EN 166)

##### Hand protection

Wear suitable gloves. (EN 374, Category III)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NBR (Nitrile rubber) / Thickness of the glove material > 0,1 mm

##### Skin protection

Wear suitable work clothing.

##### Respiratory protection

Usually no personal respiratory protection necessary.

##### Thermal hazards

No further relevant information available.

##### Environmental exposure controls

Section 6: Accidental Release Measures

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Flow

G577

Revision date: 19.01.2024

Page 5 of 10

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless - light yellow
Odour:	characteristic

#### Test method

Melting point/freezing point:	approx. 0 °C
Boiling point or initial boiling point and boiling range:	approx. 100 °C
Flammability:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	not applicable
Auto-ignition temperature:	not determined
Decomposition temperature:	not applicable
pH-Value (at 20 °C):	approx. 14
Viscosity / kinematic: (at 40 °C)	not determined
Water solubility: (at 20 °C)	completely miscible
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	not applicable
Vapour pressure:	not determined
Density (at 20 °C):	1,20 g/cm <sup>3</sup>
Relative density:	not determined
Relative vapour density:	not determined
Particle characteristics:	not relevant

#### 9.2. Other information

##### Other safety characteristics

Viscosity / dynamic: (at 25 °C)	< 300 mPa·s (50 1/s)
------------------------------------	----------------------

No information available.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

- Corrosive to metals.
- Exothermic reaction with: Acid

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

- Corrosive to metals.
- Exothermic reaction with: Acid

#### 10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

#### 10.5. Incompatible materials

- Corrosive to metals.
- Acid

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Flow

G577

Revision date: 19.01.2024

Page 6 of 10

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1310-73-2	Sodium hydroxide				
	oral	LD50 > 2000 mg/kg	Rat	ATE	
	dermal	LD50 > 2000 mg/kg	Rat	ATE	
308062-28-4	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides				
	oral	LD50 1064 mg/kg	Rat		

#### Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Other information

No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Flow

G577

Revision date: 19.01.2024

Page 7 of 10

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
1310-73-2	Sodium hydroxide					
	Acute fish toxicity	LC50	125 mg/l	96 h	Gambusia affinis (Mosquito fish)	
	Acute crustacea toxicity	EC50	40,4 mg/l	48 h	Ceriodaphnia spec	
308062-28-4	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides					
	Acute fish toxicity	LC50	2,67 mg/l	96 h		
	Acute crustacea toxicity	EC50	3,1 mg/l	48 h	Daphnia magna (Big water flea)	

### 12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
308062-28-4	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides			
	OECD 301 B	> 60%	28	
	Readily biodegradable (according to OECD criteria).			

### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Dispose of waste according to applicable legislation.  
Delivery to an approved waste disposal company.

#### List of Wastes Code - residues/unused products

060204 WASTES FROM INORGANIC CHEMICAL PROCESSES; wastes from the MFSU of bases; sodium and potassium hydroxide; hazardous waste

#### List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

#### Contaminated packaging

Non-contaminated packages may be recycled.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Flow

G577

Revision date: 19.01.2024

Page 8 of 10

### SECTION 14: Transport information

#### Land transport (ADR/RID)

14.1. UN number or ID number: UN 1824  
14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION  
14.3. Transport hazard class(es): 8  
14.4. Packing group: II  
Hazard label: 8



Classification code: C5  
Limited quantity: 1 L  
Excepted quantity: E2  
Transport category: 2  
Hazard No: 80  
Tunnel restriction code: E

#### Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1824  
14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION  
14.3. Transport hazard class(es): 8  
14.4. Packing group: II  
Hazard label: 8



Classification code: C5  
Limited quantity: 1 L  
Excepted quantity: E2

#### Marine transport (IMDG)

14.1. UN number or ID number: UN 1824  
14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION  
14.3. Transport hazard class(es): 8  
14.4. Packing group: II  
Hazard label: 8



Marine pollutant: no  
Special Provisions: -  
Limited quantity: 1 L  
Excepted quantity: E2  
EmS: F-A, S-B

#### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1824  
14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION  
14.3. Transport hazard class(es): 8  
14.4. Packing group: II  
Hazard label: 8



# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Flow

G577

Revision date: 19.01.2024

Page 9 of 10



Special Provisions:	A3 A803	
Limited quantity Passenger:	0.5 L	
Passenger LQ:	Y840	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:		851
IATA-max. quantity - Passenger:		1 L
IATA-packing instructions - Cargo:		855
IATA-max. quantity - Cargo:		30 L

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

No special measures are necessary.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2010/75/EU (VOC): 0 %

#### Additional information

Regulation (EC) No. 648/2004 [Detergents regulation]

#### National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Changes

This data sheet contains changes from the previous version in section(s): 8.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Flow

G577

Revision date: 19.01.2024

Page 10 of 10

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

### Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.

### Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*