according to Regulation (EC) No 1907/2006

# Budenat® Alkasept

Revision date: 20.11.2024

D445

Page 1 of 12

317

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Budenat® Alkasept

UFI:

### 4G10-S0JA-W00P-2J0G

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

EuPCS: PP-BIO-2 Disinfectants and algaecides not intended for direct application to humans or animals, PP-BIO-4 Biocidal products for food and feed area Process categories [PROC]: 8, 10 Restricted to professional users.

## 1.3. Details of the supplier of the safety data sheet

Company name:	BUZIL-WERK Wagner GmbH & Co. KG	
Street:	Fraunhofer Str. 17	
Place:	D-87700 Memmingen	
Telephone:	+49 (0) 8331 930-6	Telefax: +49 (0) 8331 930-880
E-mail:	info@buzil.de	
Contact person:	info@buzil.de	
Internet:	www.buzil.com	
1.4. Emergency telephone	+49 (0) 8331 930-6 (08:00 - 16:00 h)	

#### number:

**SECTION 2: Hazards identification** 

## 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1; H314 Eye Dam. 1; H318 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

# Regulation (EC) No 1272/2008

## Hazard components for labelling

2-Aminoethanol, Didecyldimethylammonium chloride. Danger

Signal word:

**Pictograms:** 



#### Hazard statements

H290	May be corrosive to metals.
H335	May cause respiratory irritation.
H314	Causes severe skin burns and eye damage.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006

# Budenat® Alkasept

Revision date: 20.11.2024	D445	Page 2 of 12
Precautionary statements		

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P501	Dispose of contents/containers in accordance with local and national regulations.

### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

## Hazardous components

Chemical name				
EC No	Index No	REACH No		
Classification (Regulation (E	C) No 1272/2008)	·		
2-Aminoethanol			5 - < 10 %	
205-483-3	603-030-00-8	01-2119486455-28		
Didecyldimethylammonium chloride				
230-525-2	612-131-00-6	01-2119945987-15		
Acute Tox. 4, Skin Corr. 1B, H400 H411				
Potassium carbonate			5 - < 10 %	
209-529-3		01-2119532646-36		
Skin Irrit. 2, Eye Irrit. 2, STO				
Alcohols, C16-18, ethoxylate	ed (3->20 EO)		5 - < 10 %	
Eye Dam. 1; H318				
Propan-2-ol; Isopropyl alcoh	1 - < 5 %			
200-661-7	603-117-00-0	01-2119457558-25		
Flam. Liq. 2, Eye Irrit. 2, ST				
	EC No Classification (Regulation (E 2-Aminoethanol 205-483-3 Acute Tox. 4, Acute Tox. 4, , Aquatic Chronic 3; H332 H3 Didecyldimethylammonium of 230-525-2 Acute Tox. 4, Skin Corr. 1B, H400 H411 Potassium carbonate 209-529-3 Skin Irrit. 2, Eye Irrit. 2, STO Alcohols, C16-18, ethoxylate Eye Dam. 1; H318 Propan-2-ol; Isopropyl alcoh 200-661-7	EC No Index No   Classification (Regulation (EC) No 1272/2008)   2-Aminoethanol   205-483-3 603-030-00-8   Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Eye Aquatic Chronic 3; H332 H312 H302 H314 H318 H317 H335   Didecyldimethylammonium chloride   230-525-2 612-131-00-6   Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Ar H400 H411   Potassium carbonate   209-529-3   Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335   Alcohols, C16-18, ethoxylated (3->20 EO)   Eye Dam. 1; H318   Propan-2-ol; Isopropyl alcohol; Isopropanol	EC No Index No REACH No   Classification (Regulation (EC) No 1272/2008) 2-Aminoethanol   205-483-3 603-030-00-8 01-2119486455-28   Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1, STOT SE 3, Aquatic Chronic 3; H332 H312 H302 H314 H318 H317 H335 H412 Didecyldimethylammonium chloride   230-525-2 612-131-00-6 01-2119945987-15   Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 2; H302 H314 H318 H400 H411   Potassium carbonate 01-2119532646-36   Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335 01-2119532646-36   Alcohols, C16-18, ethoxylated (3->20 EO) Eye Dam. 1; H318   Propan-2-ol; Isopropyl alcohol; Isopropanol 01-2119457558-25   200-661-7 603-117-00-0 01-2119457558-25	

Full text of H and EUH statements: see section 16.





according to Regulation (EC) No 1907/2006

# Budenat® Alkasept

Revision date: 20.11.2024

D445

Page 3 of 12

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Cond	c. Limits, M-factors and ATE			
141-43-5	205-483-3 2-Aminoethanol				
		TE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = oral: LD50 = 1515 mg/kg_STOT SE 3; H335: >= 5 - 100			
7173-51-5	230-525-2 Didecyldimethylammonium chloride		5 - < 10 %		
	oral: LD50 =	> 300 - 2000 mg/kg Aquatic Acute 1; H400: M=10			
584-08-7	209-529-3	Potassium carbonate	5 - < 10 %		
	inhalation: Lo mg/kg	C50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000			
68439-49-6		Alcohols, C16-18, ethoxylated (3->20 EO)	5 - < 10 %		
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg				
67-63-0	200-661-7	Propan-2-ol; Isopropyl alcohol; Isopropanol	1 - < 5 %		
	inhalation: L	C50 = 30 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 5840 mg/kg			

## Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % cationic surfactants, 5 % - < 15 % non-ionic surfactants.

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### General information

Remove contaminated, saturated clothing immediately.

# After inhalation

Provide fresh air.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

# After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

## After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet alcohol resistant foam Carbon dioxide Extinguishing powder

### Unsuitable extinguishing media

Full water jet

# 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon dioxide

according to Regulation (EC) No 1907/2006

## **Budenat® Alkasept**

Revision date: 20.11.2024

D445

Page 4 of 12

Carbon monoxide

# 5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

# For non-emergency personnel

Ventilate affected area.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

### 6.3. Methods and material for containment and cleaning up

### For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

### Other information

Collect in closed and suitable containers for disposal. Ventilate affected area.

### 6.4. Reference to other sections

Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes and clothes. Do not mix with other chemicals. Use personal protection equipment. When using do not eat or drink. Use only in well-ventilated areas. Do not breathe gas/fumes/vapour/spray.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

#### Further information on handling

Absorb spillage to prevent material damage.

## 7.2. Conditions for safe storage, including any incompatibilities

according to Regulation (EC) No 1907/2006

# **Budenat® Alkasept**

Revision date: 20.11.2024 D445

Page 5 of 12

#### Requirements for storage rooms and vessels

Keep container tightly closed.

Keep/Store only in original container.

### Hints on joint storage

No special measures are necessary.

#### Further information on storage conditions No further relevant information available.

### 7.3. Specific end use(s)

**Disinfectant cleaners** 

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m³	fib/cm³	Category	Origin
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	
		3	7.6		STEL (15 min)	

# Additional advice on limit values

No information available.

### 8.2. Exposure controls





#### Appropriate engineering controls

No information available.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye protection/face protection. (EN 166)

#### Hand protection

Wear suitable gloves. (EN 374, Category III)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NBR (Nitrile rubber) / Thickness of the glove material > 0,1 mm

Diluted ready-to-use solutions <=1%:

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

# Skin protection

Wear suitable work clothing.

#### Respiratory protection

Use only in well-ventilated areas.

In case of inadequate ventilation wear respiratory protection. (EN 14387, A1)

### Thermal hazards

No further relevant information available.

## Environmental exposure controls

Section 6: Accidental Release Measures

according to Regulation (EC) No 1907/2006

# **Budenat® Alkasept**

Revision date: 20.11.2024

D445

Page 6 of 12

buzi

# **SECTION 9: Physical and chemical properties**

### 9.

Physical state:	Liquid		
Colour:	colourless - light yellow		
Odour:	characteristic		
			Test metho
Melting point/freezing point:		approx. 0 °C	
Boiling point or initial boiling point and		approx. 100 °C	
boiling range:			
Flammability:		not applicable	
Lower explosion limits:		not determined	
Upper explosion limits:		not determined	
Flash point:		> 65 °C	
Auto-ignition temperature:		not determined	
Decomposition temperature:		not applicable	
pH-Value (at 20 °C):		approx. 13	
Viscosity / kinematic: (at 40 °C)		not determined	
Water solubility: (at 20 °C)		completely miscible	
Solubility in other solvents not determined			
Partition coefficient n-octanol/water:		not applicable	
Vapour pressure:		not determined	
Density (at 20 °C):		1,06 g/cm³	
Relative density:		not determined	
Relative vapour density:		not determined	
Particle characteristics:		not relevant	
2. Other information			
Other safety characteristics			
Viscosity / dynamic: (at 25 °C)		< 10 mPa·s	(50 1/s)
No information available.			

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Corrosive to metals. Exothermic reaction with: Acid

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

Corrosive to metals. Exothermic reaction with: Acid

## 10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

## 10.5. Incompatible materials

Corrosive to metals. Acid

according to Regulation (EC) No 1907/2006

# **Budenat® Alkasept**

Revision date: 20.11.2024

D445

Page 7 of 12

325

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11:** Toxicological information

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Based on available data, the classification criteria are not met.

# ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
141-43-5	2-Aminoethanol				· · ·				
	oral	LD50 mg/kg	1515	Rat					
	dermal	LD50 mg/kg	1025	Rabbit	IUCLID				
	inhalation vapour	ATE	11 mg/l						
	inhalation dust/mist	ATE	1,5 mg/l						
7173-51-5	Didecyldimethylammoni	um chloride							
	oral	LD50 2000 mg/k	> 300 - (g	Rat					
584-08-7	Potassium carbonate								
	oral	LD50 mg/kg	>2000	Rat	ATE				
	dermal	LD50 mg/kg	>2000	Rat	ATE				
	inhalation dust/mist	LC50	>5 mg/l	Rat	ATE				
68439-49-6	Alcohols, C16-18, ethoxylated (3->20 EO)								
	oral	LD50 mg/kg	> 2000	Rat					
	dermal	LD50 mg/kg	> 2000	Rat					
67-63-0	Propan-2-ol; Isopropyl a	lcohol; Isopr	opanol						
	oral	LD50 mg/kg	5840	Rat		OECD 401			
	dermal	LD50 mg/kg	> 2000	Rabbit					
	inhalation (4 h) vapour	LC50	30 mg/l	Rat					

### Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage. Serious eye damage/eye irritation: Causes serious eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

## **Budenat® Alkasept**

Revision date: 20.11.2024

D445

Page 8 of 12

517

# STOT-single exposure

May cause respiratory irritation. (2-Aminoethanol)

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

# Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### Other information

No information available.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Very toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
141-43-5	2-Aminoethanol							
	Acute fish toxicity	LC50	150 mg/l	96 h	Oncorhynchus mykiss	IUCLID		
	Acute algae toxicity	ErC50	22 mg/l	72 h	Desmodesmus subspicatus			
	Acute crustacea toxicity	EC50	65 mg/l	48 h	Daphnia magna			
7173-51-5	Didecyldimethylammoniu	m chloride						
	Acute fish toxicity	LC50 mg/l	> 0,1 - 1	96 h	Danio rerio (zebrafish)		OECD 203	
	Acute algae toxicity	ErC50 0,1 mg/l	> 0,01 -	72 h	Pseudokirchneriella subcapitata		OECD 201	
	Acute crustacea toxicity	EC50 0,1 mg/l	> 0,01 -	48 h	Daphnia magna (Big water flea)		OECD 202	
	Crustacea toxicity	NOEC 0,1 mg/l	> 0,01 -	21 d	Daphnia magna (Big water flea)		OECD 211	
584-08-7	Potassium carbonate							
	Acute fish toxicity	LC50	> 1 mg/l	96 h				
	Acute algae toxicity	ErC50	> 1 mg/l					
	Acute crustacea toxicity	EC50	> 1 mg/l	48 h				
68439-49-6	Alcohols, C16-18, ethoxyl	ated (3->20	EO)					
	Acute fish toxicity	LC50	3,5 mg/l	96 h	Danio rerio (zebrafish)		OECD 203	
67-63-0	Propan-2-ol; Isopropyl ald	ohol; Isopro	panol					
	Acute fish toxicity	LC50 mg/l	> 10000	96 h	Pimephales promelas (fathead minnow)		OECD 203	
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Scenedesmus subspicatus			
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna (Big water flea)			

# 12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

according to Regulation (EC) No 1907/2006

# **Budenat® Alkasept**

Revision date: 20.11.2024

D445

Page 9 of 12

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation							
7173-51-5	Didecyldimethylammonium chloride							
	OECD 301 D	> 60 %	28					
	Readily biodegradable (according to OECD criteria).							
68439-49-6	Alcohols, C16-18, ethoxylated (3->20 EO)							
	OECD 301 B > 60 % 28							
	Readily biodegradable (according to OECD criteria).							

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

### Partition coefficient n-octanol/water

	•	
141-43-5	2-Aminoethanol	-1,91 (25°C)
CAS No	Chemical name	Log Pow

#### BCF

CAS No	Chemical name	BCF	Species	Source
7173-51-5	Didecyldimethylammonium chloride	81		

# 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

### Disposal recommendations

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

#### List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

### List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

# Contaminated packaging


Non-contaminated packages may be recycled.

<b>SECTION 1</b>	4: Transpor	t informatior
------------------	-------------	---------------

# Land transport (ADR/RID)


14.1. UN nui	<u>mber or ID num</u>	ber:	UN 1903

according to Regulation (EC) No 1907/2006





according to Regulation (EC) No 1907/2006



IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

according to Regulation (EC) No 1907/2006

# **Budenat® Alkasept**

Revision date: 20.11.2024

D445

Page 12 of 12

LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

## Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

## Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)