according to Regulation (EC) No 1907/2006

### Indumaster® IR 55

Revision date: 28.11.2024

P950

Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Indumaster® IR 55

UFI:

### Q1U0-H0XV-H007-85NX

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

EuPCS: PC-CLN-2 All-purpose (or multi-purpose) non-abrasive cleaners including degreasing agents (unless otherwise specified in other subcategories of cleaning products) Process categories [PROC]: 8, 10, 11 Restricted to professional users.

### 1.3. Details of the supplier of the safety data sheet

Company name:	BUZIL-WERK Wagner GmbH & Co. KG	
Street:	Fraunhofer Str. 17	
Place:	D-87700 Memmingen	
Telephone:	+49 (0) 8331 930-6	Telefax:+49 (0) 8331 930-880
E-mail:	info@buzil.de	
Contact person:	info@buzil.de	
Internet:	www.buzil.com	
1.4. Emergency telephone	+49 (0) 8331 930-6 (08:00 - 16:00 h)	

### number:

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

#### Regulation (EC) No 1272/2008

Signal word:

**Pictograms:** 



Warning

### Hazard statements

H290	May be corrosive to metals.
H319	Causes serious eye irritation.

#### **Precautionary statements**

P305+P351+P338	
1 000 1 00 1 1 000	

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.

### **SECTION 3: Composition/information on ingredients**

according to Regulation (EC) No 1907/2006



### Indumaster® IR 55

Revision date: 28.11.2024

P950

Page 2 of 10

### 3.2. Mixtures

### Hazardous components

CAS No	Chemical name	-			Quantity
	EC No	Index No		REACH No	
	Classification (Regulation (EC) No 1272/2008)				
169107-21-5	Alcohols, C9-11-branched, ethoxylated			1 - < 5 %	
	931-561-8				
	Eye Dam. 1; H318	-		-	
26183-52-8	Decan-1-ol, ethoxylated			1 - < 5 %	
	Acute Tox. 4, Eye Dam. 1; H302 H318				

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
169107-21-5	931-561-8	1-561-8 Alcohols, C9-11-branched, ethoxylated		
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg			
26183-52-8		Decan-1-ol, ethoxylated	1 - < 5 %	
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 500 mg/kg Eye Dam. 1; H318: >= 20 - 100			

#### Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants, < 5 % amphoteric surfactants, < 5 % phosphonates, perfumes, preservation agents (Benzisothiazolinone).

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

Remove contaminated, saturated clothing immediately.

#### After inhalation

Provide fresh air.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed No information available.

### **4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media Water spray jet alcohol resistant foam Carbon dioxide

according to Regulation (EC) No 1907/2006

## Indumaster® IR 55

Revision date: 28.11.2024

P950

Page 3 of 10

## Extinguishing powder

### Unsuitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon dioxide Carbon monoxide

### 5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

### For non-emergency personnel

Ventilate affected area.

## For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## 6.3. Methods and material for containment and cleaning up

### For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Collect in closed and suitable containers for disposal. Ventilate affected area.

#### 6.4. Reference to other sections

Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes and clothes.

Do not mix with other chemicals.

Use personal protection equipment.

When using do not eat, drink or smoke.

If extensively sprayed or used with high pressure equipment:

Use only in well-ventilated areas.

Do not breathe gas/fumes/vapour/spray.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.



according to Regulation (EC) No 1907/2006

### Indumaster® IR 55

Revision date: 28.11.2024

P950

Page 4 of 10

### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

### Further information on handling

Absorb spillage to prevent material damage.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container.

# Hints on joint storage

No special measures are necessary.

### Further information on storage conditions

No further relevant information available.

### 7.3. Specific end use(s)

Cleaning agent

**SECTION 8: Exposure controls/personal protection** 

## 8.1. Control parameters

Additional advice on limit values

# No information available.

## 8.2. Exposure controls





#### Appropriate engineering controls

No information available.

#### Individual protection measures, such as personal protective equipment

### Eye/face protection

Wear eye protection/face protection. (EN 166)

### Hand protection

Wear suitable gloves. (EN 374, Category III)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NBR (Nitrile rubber) / Thickness of the glove material > 0,1 mm

Diluted ready-to-use solutions <=1%:

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

### Skin protection

Wear suitable work clothing.

### Respiratory protection

If extensively sprayed or used with high pressure equipment: combination filter A1/P2 (EN 143, EN 14387).

#### Thermal hazards

No further relevant information available.

### Environmental exposure controls

Section 6: Accidental Release Measures

according to Regulation (EC) No 1907/2006

## Indumaster® IR 55

Revision date: 28.11.2024

P950

Page 5 of 10

pla

nta

### **SECTION 9: Physical and chemical properties**

### 9.

9.1. Information on basic physical and che	emical properties	
Physical state:	Liquid	
Colour:	yellow-green	
Odour:	Perfumes, fragrances	
		Test method
Melting point/freezing point:	approx. 0 °C	
Boiling point or initial boiling point and	approx. 100 °C	
boiling range:		
Flammability:	not applicable	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Flash point:	not applicable	
Auto-ignition temperature:	not determined	
Decomposition temperature:	not applicable	
pH-Value (at 20 °C):	10,0 - 11,0	
Viscosity / kinematic:	not determined	
(at 40 °C)		
Water solubility:	completely miscible	
(at 20 °C)		
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:	not applicable	
Vapour pressure:	not determined	
Density (at 20 °C):	1,02 g/cm <sup>3</sup>	
Relative density:	not determined	
Relative vapour density:	not determined	
Particle characteristics:	not relevant	
9.2. Other information		
Other safety characteristics		
Viscosity / dynamic:	< 10 mPa⋅s	(50 1/s)

Viscosity / dynamic: (at 25 °C) No information available.

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Corrosive to metals.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Corrosive to metals.

### 10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

### 10.5. Incompatible materials

Corrosive to metals.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

according to Regulation (EC) No 1907/2006

## Indumaster® IR 55

Revision date: 28.11.2024

P950

Page 6 of 10

to

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
169107-21-5	Alcohols, C9-11-branched	d, ethoxylated						
	oral	LD50 > 2000 Rat mg/kg						
	dermal	LD50 = mg/kg	> 2000	Rat				
26183-52-8	Decan-1-ol, ethoxylated							
	oral	LD50 s mg/kg	500	Rat				
	dermal	LD50 = mg/kg	> 2000	Rat				

#### Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### Other information

No information available.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

## Indumaster® IR 55

Revision date: 28.11.2024

P950

Page 7 of 10

CAS No	Chemical name	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
169107-21-5	Alcohols, C9-11-branched	Alcohols, C9-11-branched, ethoxylated						
	Acute fish toxicity	LC50	> 1 mg/l	96 h				
	Acute algae toxicity	ErC50	> 1 mg/l					
	Acute crustacea toxicity	EC50	> 1 mg/l	48 h				
26183-52-8	Decan-1-ol, ethoxylated							
	Acute algae toxicity	ErC50	19,6 mg/l	72 h			OECD 201	
	Acute crustacea toxicity	EC50	15,0 mg/l	48 h			OECD 202	

### 12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
26183-52-8	Decan-1-ol, ethoxylated			
	@00000000020 B	> 60 %	28	
	Readily biodegradable (according to OECD criteria).			

### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

## 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

#### List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

### List of Wastes Code - contaminated packaging


150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

#### Contaminated packaging

Non-contaminated packages may be recycled.

#### **SECTION 14: Transport information**

according to Regulation (EC) No 1907/2006





according to Regulation (EC) No 1907/2006



	Indumaster® IR 55	
Revision date: 28.11.2024	P950	Page 9 of 10
Special Provisions: Limited quantity Passenger: Passenger LQ: Excepted quantity: IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	A3 A803 1 L Y841 E1 852 5 L 856 60 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for userNo special measures are necessary.14.7. Maritime transport in bulk according to not applicable	o IMO instruments	
SECTION 15: Regulatory information		
15.1 Safety health and environmental requ	lations/legislation specific for the substance or n	
EU regulatory information Restrictions on use (REACH, annex XVII) Entry 3, Entry 75	:	
Directive 2010/75/EU on industrial emissions:	< 0,2 %	
Additional information Regulation (EC) No. 648/2004 [Deterg	ents regulation]	
National regulatory information		
Water hazard class (D):	1 - slightly hazardous to water	
15.2. Chemical safety assessment		
Chemical safety assessments for sub-	stances in this mixture were not carried out.	
SECTION 16: Other information		
-	n the previous version in section(s): 2,7,15.	
Abbreviations and acronyms	t des marshandises dengersusse per Deute	
		()

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:



according to Regulation (EC) No 1907/2006

### Indumaster® IR 55

Revision date: 28.11.2024	

P950

Page 10 of 10

PROC 1: Use in closed processes.
PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC 4: Chemical production where opportunity for exposure arises
PROC 7: Industrial spraying
PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.
PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

#### Relevant H and EUH statements (number and full text)

May be corrosive to metals.
Harmful if swallowed.
Causes serious eye damage.
Causes serious eye irritation.

### **Further Information**

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)