

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Finesse

Revision date: 23.01.2024

G542

Page 1 of 10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Buz® Finesse

UFI: 9K50-20PD-M00E-UWYK

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

EuPCS: PC-CLN-8 Indoor furniture cleaning/care products (excludes leather and upholstery), PC-CLN-15.4

Metal polish/tarnish remover

Prozesskategorien [PROC]: 11

#### 1.3. Details of the supplier of the safety data sheet

Company name: BUZIL-WERK Wagner GmbH & Co. KG

Street: Fraunhofer Str. 17

Place: D-87700 Memmingen

Telephone: +49 (0) 8331 930-6

Telefax: +49 (0) 8331 930-880

e-mail: info@buzil.de

Contact person: info@buzil.de

Internet: www.buzil.com

**1.4. Emergency telephone number:** +49 (0) 8331 930-6 (08:00 - 16:00 h)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aerosol 1; H222-H229

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:



##### Hazard statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

##### Precautionary statements

P102 Keep out of reach of children.

P211 Do not spray on an open flame or other ignition source.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

P410 Protect from sunlight.

P412 Do not expose to temperatures exceeding 50 °C/122 °F.

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



**Buz® Finesse**

Revision date: 23.01.2024

G542

Page 2 of 10

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
	Hydrocarbons, C11-C14, isoalkanes, cyclics, aromatics			35 - < 40 %
	927-285-2		01-2119480162-45	
	Asp. Tox. 1; H304 EUH066			
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic			20 - < 25 %
	265-157-1		01-2119484627-25	
	Asp. Tox. 1; H304			
74-98-6	Propane			15 - < 20 %
	200-827-9	601-003-00-5	01-2119486944-21	
	Flam. Gas 1; H220			
106-97-8	Butane			15 - < 20 %
	203-448-7	601-004-00-0	01-2119474691-32	
	Flam. Gas 1; H220			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
	927-285-2	Hydrocarbons, C11-C14, isoalkanes, cyclics, aromatics	35 - < 40 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg		
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic	20 - < 25 %
	inhalation: LC50 = > 5 mg/l (vapours); dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg		
74-98-6	200-827-9	Propane	15 - < 20 %
	inhalation: LC50 = >20000 ppm (gases)		
106-97-8	203-448-7	Butane	15 - < 20 %
	inhalation: LC50 = 273000 ppm (gases)		

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove contaminated, saturated clothing immediately.

#### After inhalation

Provide fresh air.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Finesse

Revision date: 23.01.2024

G542

Page 3 of 10

### **4.2. Most important symptoms and effects, both acute and delayed**

No information available.

### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Water spray jet  
alcohol resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Extinguishing powder

#### **Unsuitable extinguishing media**

Full water jet

### **5.2. Special hazards arising from the substance or mixture**

Hazardous combustion products:  
Carbon dioxide  
Carbon monoxide

### **5.3. Advice for firefighters**

Emergency cooling must be provided for in case of a fire in the vicinity.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **General advice**

Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.

#### **For non-emergency personnel**

Ventilate affected area.

#### **For emergency responders**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.  
Do not allow to enter into soil/subsoil.

### **6.3. Methods and material for containment and cleaning up**

#### **For containment**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### **For cleaning up**

Treat the recovered material as prescribed in the section on waste disposal.

#### **Other information**

Collect in closed and suitable containers for disposal.  
Ventilate affected area.

### **6.4. Reference to other sections**

Personal protection equipment: see section 8  
Disposal: see section 13

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Finesse

G542

Revision date: 23.01.2024

Page 4 of 10

### Advice on safe handling

Do not breathe gas/fumes/vapour/spray.  
Use only in well-ventilated areas.  
Avoid contact with skin, eyes and clothes.  
Do not mix with other chemicals.  
Use personal protection equipment.  
When using do not eat, drink or smoke.

### Advice on protection against fire and explosion

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### Advice on general occupational hygiene

Take off contaminated clothing.  
Wash hands before breaks and after work.  
When using do not eat, drink or smoke.

### Further information on handling

No further relevant information available.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

### Hints on joint storage

No special measures are necessary.

### Further information on storage conditions

No further relevant information available.

## 7.3. Specific end use(s)

Cleaning and care products

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Additional advice on limit values

No information available.

### 8.2. Exposure controls



#### Appropriate engineering controls

No information available.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Eye protection: not required.

##### Hand protection

Wear suitable gloves. (EN 374, Category III)  
When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.  
Suitable material: NBR (Nitrile rubber) / Thickness of the glove material > 0,1 mm

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Finesse

G542

Revision date: 23.01.2024

Page 5 of 10

### Skin protection

Wear suitable work clothing.

### Respiratory protection

Use only in well-ventilated areas.

If extensively sprayed or used with high pressure equipment: combination filter A1/P2 (EN 143, EN 14387).

### Thermal hazards

No further relevant information available.

### Environmental exposure controls

Section 6: Accidental Release Measures

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Aerosol	
Colour:	colourless	
Odour:	Perfumes, fragrances	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		< 0 °C
Flammability:	Extremely flammable aerosol.	
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		< 0 °C
Auto-ignition temperature:		not determined
Decomposition temperature:		not applicable
pH-Value:		not applicable
Viscosity / kinematic: (at 40 °C)		not determined
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not applicable
Vapour pressure:		not determined
Density (at 20 °C):		approx. 0,8 g/cm <sup>3</sup>
Relative density:		not determined
Relative vapour density:		not determined
Particle characteristics:		not relevant

### 9.2. Other information

#### Other safety characteristics

Viscosity / dynamic: not determined  
(at 25 °C)

No information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Finesse

G542

Revision date: 23.01.2024

Page 6 of 10

### 10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
	Hydrocarbons, C11-C14, isoalkanes, cyclics, aromatics				
	oral	LD50 > 5000 mg/kg	Rat		
	dermal	LD50 > 2000 mg/kg	Rabbit		
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic				
	oral	LD50 > 5000 mg/kg	Rat		
	dermal	LD50 > 5000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 > 5 mg/l	Rat		
74-98-6	Propane				
	inhalation gas	LC50 > 20000 ppm	Rat	ATE	
106-97-8	Butane				
	inhalation (4 h) gas	LC50 273000 ppm	Rat	GESTIS	

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Other information

No information available.

## SECTION 12: Ecological information

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Finesse

Revision date: 23.01.2024

G542

Page 7 of 10

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
	Hydrocarbons, C11-C14, isoalkanes, cyclics, aromatics					
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Oncorhynchus mykiss (Rainbow trout)	
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata	
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna (Big water flea)	
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic					
	Acute fish toxicity	LC50 mg/l	> 100	96 h		
	Acute algae toxicity	ErC50 mg/l	> 100			
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h		
	Fish toxicity	NOEC	> 1 mg/l			
	Crustacea toxicity	NOEC	> 1 mg/l			

### 12.2. Persistence and degradability

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
	Hydrocarbons, C11-C14, isoalkanes, cyclics, aromatics			
	Readily biodegradable (according to OECD criteria).			
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic			
	Not readily biodegradable (according to OECD criteria)			

### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic	> 6
74-98-6	Propane	2,36
106-97-8	Butane	2,89

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



**Buz® Finesse**

G542

Revision date: 23.01.2024

Page 8 of 10

## Disposal recommendations

Dispose of waste according to applicable legislation.  
Delivery to an approved waste disposal company.

## List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

## List of Wastes Code - contaminated packaging

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

## Contaminated packaging

Delivery to an approved waste disposal company.

## SECTION 14: Transport information

### Land transport (ADR/RID)

**14.1. UN number or ID number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2  
**14.4. Packing group:** -  
Hazard label: 2.1



Classification code: 5F  
Special Provisions: 190 327 344 625  
Limited quantity: 1 L  
Excepted quantity: E0  
Transport category: 2  
Tunnel restriction code: D

### Inland waterways transport (ADN)

**14.1. UN number or ID number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2  
**14.4. Packing group:** -  
Hazard label: 2.1



Classification code: 5F  
Special Provisions: 190 327 344 625  
Limited quantity: 1 L  
Excepted quantity: E0

### Marine transport (IMDG)

**14.1. UN number or ID number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2.1  
**14.4. Packing group:** -  
Hazard label: 2.1



# Safety Data Sheet

according to Regulation (EC) No 1907/2006



**Buz® Finesse**

G542

Revision date: 23.01.2024

Page 9 of 10



Marine pollutant: no  
Special Provisions: 63, 190, 277, 327, 344, 959  
Limited quantity: 1000 mL  
Excepted quantity: E0  
EmS: F-D, S-U

## Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2.1  
**14.4. Packing group:** -  
Hazard label: 2.1



Special Provisions: A145 A167 A802  
Limited quantity Passenger: 30 kg G  
Passenger LQ: Y203  
Excepted quantity: E0  
IATA-packing instructions - Passenger: 203  
IATA-max. quantity - Passenger: 75 kg  
IATA-packing instructions - Cargo: 203  
IATA-max. quantity - Cargo: 150 kg

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

## 14.6. Special precautions for user

No information available.

## 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28, Entry 40

2010/75/EU (VOC): 74,1 %

#### Additional information

Regulation (EC) No. 648/2004 [Detergents regulation]

Aerosol Directive (75/324/)

#### National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



**Buz® Finesse**

G542

Revision date: 23.01.2024

Page 10 of 10

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

## Relevant H and EUH statements (number and full text)

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H304	May be fatal if swallowed and enters airways.
EUH066	Repeated exposure may cause skin dryness or cracking.

## Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*